


GROHE EUROECO SPECIAL SINGLE-LEVER MIXER

NEW DESIGN FOR THE PROFESSIONAL SOLUTION

GROHE presents a new generation of Euroeco Special faucets integrating the latest project know-how to meet our clients' demands. Hygiene, ergonomics durability and safety are reflected in a modern yet timeless design.

THE OPTIMUM SOLUTION FOR ALL APPLICATIONS

From hospitals to care homes; from patients' bathrooms to examination rooms; and from laboratories to kitchens, the new Euroeco Special offers maximum flexibility for all draw-off points.



GROHE StarLight

Radiant chrome finish resistant to soil and tarnishing - stays like new for years.

Rounded shapes:

- Degressive shapes to avoid accidents
- Smooth curves for easy cleaning
- Lever length matches spout length for convenient operation

Overlapping cap:

- Water drips off for easy cleaning

Smooth waste rod:

- Clear shapes for easy cleaning
- Smooth edges to protect the user

Integrated temperature limiter:

- Maximum temperature can be pre-set to reduce energy costs and for extra safety

ErgoTouch:


- Easiest operation with only a tip of the finger
- Reduced contact areas of the lever
- Strong metal lever

GROHE SilkMove

Smoothest handling and a lifetime of maintenance-free comfort and reliability.

Laminar mousseur:

- No bacteria caught from the air





GROHE EUROECO SPECIAL SINGLE-LEVER MIXER



32 789 000
Euroeco Special
Single-lever safety basin mixer ½
Single hole installation
Adjustable flow rate limiter
Laminar flow straightener 9 ltrs/min
Metal lever 120mm
Temperature limiter
WELS 0 star, 9 ltrs/min



32 793 000
Euroeco Special
Single-lever safety basin mixer, ½"
wall-mounted
adjustable flow rate limiter
cast swivel spout, lockable
laminar flow straightener 9 ltrs/min
projection 256mm
metal lever 170mm
temperature limiter
WELS 0 star, 9.5 ltrs/min



32 795 000
Euroeco Special
Single-lever safety basin mixer, ½"
wall-mounted
adjustable flow rate limiter
cast spout
laminar flow straightener 9 ltrs/min
projection 204mm
metal lever 170mm
temperature limiter
WELS 0 star, 9.5 ltrs/min

**32 762 000**

Euroeco Special
Single-lever basin mixer, 1/2"
single hole installation
adjustable flow rate limiter
laminar flow straightener 9 ltrs/min
metal lever 120mm
temperature limiter
WELS 0 star, 9 ltrs/min

**32 767 000**

Euroeco Special
Single-lever basin mixer, 1/2"
wall-mounted
adjustable flow rate limiter
cast swivel spout, lockable
laminar flow straightener 9 ltrs/min
projection 196mm
metal lever 120mm
temperature limiter
WELS 0 star, 9 ltrs/min

**32 784 000**

Euroeco Special
Single-lever shower mixer, 1/2"
set for final installation for 35 501 000
metal lever 120mm
metal escutcheon
temperature limiter

**36 269 000**

Euroeco Cosmopolitan E Infrared
electronic basin tap 1/2" without mixing
devicewith infrared sensor for bi-directional
communication for monitoring, configuration
and service purposefor cold or premixed
waterwith plug transformer 100-230 V AC,
50-60 Hz, 6 V D
WELS 5 stars, 6 ltrs/min

**36 271 000**

Euroeco Cosmopolitan E Infrared electronic
basin tap without mixing devicewith infrared
sensor for bi-directional communication for
monitoring, configuration and service
purposefor cold or premixed water6 V lithium-
battery, type CR-P2battery lifetime: approx. 7
years (150 actuations a day)
WELS 5 stars, 6 ltrs/min

**36 274 000**

Euroeco Cosmopolitan E Infrared electronic wall
basin tap without mixing devicewith infrared
sensor for bi-directional communication for
monitoring, configuration and service purposefor
cold or premixed water6 V lithium-battery, type
CR-P2battery lifetime: approx. 7 years
(150 actuations a day)
WELS 5 stars, 6 ltrs/min