ASSIST

HEALTHCARE & ACCESSIBLE BATHROOM SOLUTIONS

ISSUE 1 / 2021







ELEMENTI

the.artceram



ROBERTSON.CO.NZ



TAPWARE, SHOWERS & THERMOSTATS GROHE

EUROECO	4-7
EUROECO COSMO E INFRA-RED	8
BAU COSMO E INFRA-RED	8
ESSENCE E INFRA-RED	8
EUROECO COSMO T SELF CLOSING	12-14
EUROSMART COSMO T SELF CLOSING	12-14
RELEXA	14
NEW TEMPESTA	14
AMERICAN STANDARD	
RAINCLICK	
EASYSET	
EASYSET EXPOSED	22
ELEMENTI	
TITA	

BASINS WASTES & TRAPS

ART CERAM	
QUADRO	26
PARISI	
LINFA	
ELEMENTI	
WASTES	
BOTTLE TRAPS	29

TOILETS, URINALS & FLUSH VALVES

AMERICAN STANDARD

CYGNET HYGIENE OVERHEIGHT	31-35
CYGNET HYGIENE	
NEO MODERN	
CONTOUR	
ELEMENTI	
BUTTONS & SEATS	
GROHE	
FLUSH VALVES	
AQUAECO	
PARTITION	

ACCESSORIES

ELEMENTI

ASSIST	
STRAIGHT HAND RAILS	
90° HAND RAILS	
45° HAND RAILS	40
SHOWER RAILS	41
FOLDING TOILET RAILS	
PADDED TOILET LID RAIL	43
SHOWER SEATS	
SHOWER TRACKS	
PROJECT REFERENCES	50





IMPORTING IDEAS

Your bathroom is central to the way you live. Reliable performance, exquisite design and customer service that are second to none should be central to the creation of your bathroom. You can trust Robertson to bring the highest standards of quality, style and innovation to the space you create.

Established in 1987 and proudly New Zealand owned and family operated, Robertson import Europe's most innovative bathroom products. But we do more than that, we import ideas – creating opportunities for New Zealand architects and designers to innovate and reinvent the bathroom space.

Through our collection of brands, we deliver a promise of breathtaking design and guaranteed quality, backed by industry leading service and support to help realise the perfect design.

Robertson takes pleasure in introducing to you their exclusive range of Healthcare & Accessible Bathroom Solutions We are a highly reputable New Zealand company who have had extensive experience in providing solutions to the healthcare industry.

These include:

- Rest Homes
- Hospitals
- Retirement Villages
- Hotel/Motel Accessible Units
- Special Needs Schools
- Private Residency









TAPWARE

GROHE EUROECO SPECIAL SINGLE-LEVER MIXER

NEW DESIGN FOR THE PROFESSIONAL SOLUTION

GROHE presents a new generation of Euroeco Special faucets integrating the latest project know-how to meet our clients' demands. Hygiene, ergonomics durability and safety are reflected in a modern yet timeless design.

THE OPTIMUM SOLUTION FOR ALL APPLICATIONS

From hospitals to care homes; from patients' bathrooms to examination rooms; and from laboratories to kitchens, the new Euroeco Special offers maximum flexibility for all draw-off points.









GROHE EUROECO LEVER BASIN MIXER WELS 0 stars, 9.5 ltrs/min

Adjustable flow rate limiter Laminar flow straightener 9 ltrs/min Metal lever 120mm Temperature limiter

CHROME: 32 789 000



GROHE EUROECO LEVER WALL MOUNTED SWIVEL BASIN MIXER WELS 0 stars, 8 ltrs/min

Adjustable flow rate limiter Cast swivel spout, lockable Laminar flow straightener 9 ltrs/min Projection 256mm Metal lever 170mm Temperature limiter

CHROME: 32 793 000



GROHE EUROECO BASIN MIXER WELS 0 stars, 9.5 ltrs/min

Adjustable flow rate limiter Laminar flow straightener 9 ltrs/min Metal lever 120mm Temperature limiter

CHROME: 32 762 000



GROHE EUROECO LEVER WALL MOUNTED BASIN MIXER WELS 0 stars, 9.5 ltrs/min

Adjustable flow rate limiter Cast spout Laminar flow straightener 9 ltrs/min Projection 204mm Metal lever 170mm Temperature limiter

CHROME: 32 795 000



GROHE EUROECO WALL MOUNTED BASIN MIXER WELS 0 stars, 9.5 ltrs/min

Adjustable flow rate limiter Cast swivel spout, lockable Laminar flow straightener 9 ltrs/min Projection 196mm Metal lever 120mm Temperature limiter

CHROME: 32 767 000



FEATURES









GROHE STARLIGHT



INFRA-RED TAPWARE

GROHE EUROECO COSMO E INFRA-RED BASIN MIXER WELS 5 star, 6 ltrs/min

Without mixing device. With infra-red sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water 6 V lithium-battery, type CR-P2 Battery lifetime: approx. 7 years (150 actuations a day)

CHROME: 36 271 000 GROHE EUROECO COSMO E WALL MOUNTED INFRA-RED BASIN MIXER WELS 5 star, 6 ltrs/min

Without mixing device. With infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water 6 V lithiumbattery, type CR-P2 Battery lifetime: approx. 7 years (150 actuations a day)

CHROME: 36 274 000



GROHE ESSENCE E **INFRA-RED BASIN MIXER** WELS 5 star, 5 ltrs/min

With mixing device and adjustable temperature limiter. Battery Temp Adjustment. With infra-red sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water. 6V lithium battery, type CR-P2. Battery lifetime: approx. 7 years (150 actuations a day)

CHROME: 36 445 000



FEATURES



15 YEAR









GROHE BAU COSMO E **INFRA-RED BASIN MIXER** WELS 5 star, 5 ltrs/min

Without mixing device. With infra-red sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water. 6V lithium battery, type CR-P2. Battery lifetime: approx. 7 years (150 actuations a day)

CHROME: 36 452 000



GROHE

LONGLIFE

BATTERY





GROHE GROTHERM MICRO THERMOSTAT

CHROME: 34 487 000



A COMPACT THERMOSTATIC SHOWER MIXER ENGINEERED BY GROHE - SMALL BUT BIG ON SAFETY

The Grohtherm Micro is a superbly crafted thermostat that delivers safety and performance you can trust year after year. It has a built in non-return valves to prevent any backflow of wastewater into your clean water supply and features cutting edge GROHE technology. GROHE TurboStat ensures the water is the perfect temperature even if the supply fluctuates. The Micro does does this by limiting the maximum hot water temperature to a safe value or, in the case of a tap without a mixer, premixing the water to ensure it is not too hot. With its compact size it is ideal for use with washbasins and that means it can offer great protection in facilities for children, senior citizens and people with mobility issues. The temperature can be set to between 15° and 43°. For added hygiene, fast and easy thermal disinfection can be carried out without recalibration. And the multilayered coating of scratch resistant GROHE StarLight chrome has a sparkle that lasts for years. Grohtherm Micro – the small thermostat with big safety standards!

GROHE ATLANTA ANGLE VALVE 1/2"

CHROME: 22 917 000



GROHE GROTHERM MICRO CONNECTION SET

CHROME: 47 533 000



GROHE ORIGINAL WAS HOSE-BURST PROTECTION %" 20MM

CHROME: 41 001 000



FEATURES













GROHE EUROECO COSMO T SELF CLOSING BASIN MIXER WELS 5 star, 5 ltrs/min

Approx. 7, 15, 30 sec (pressure dependent)

CHROME: 36 265 000



GROHE EUROECO COSMO T WALL MOUNTED SELF CLOSING BASIN MIXER WELS 5 star, 5 ltrs/min

Approx. 7, 15, 30 sec (pressure dependent)

CHROME: 36 266 000

GROHE EUROECO COSMO T EXTENSION For wall mounted mixer 42MM

CHROME: 36 316 000



GROHE EUROSMART COSMO T SELF CLOSING BASIN MIXER WELS 5 star, 5 ltrs/min

With mixing device and adjustable temperature limiter. Approx. 7, 15, 30 sec (pressure dependent)

CHROME: 36 317 000



FEATURES







GROHE **RELEXA 70 SPORTS HEAD** Anti-Ligature 1 SPRAY WELS 2 star, 12 ltrs/min

CHROME: 28 002 000



GROHE NEW TEMPESTA COSMO SHOWER ROSE

4 Spray patterns: Rain $0_2,$ Rain, Massage, Jet With Inner water guide WELS 3 star, 9 ltrs/min

CHROME: 26 613 000

GROHE

CHROME:

36 267 000

GROHE

CHROME:

36 322 001

EUROSMART COSMO T

CONCEALED MOUNTING BOX

EUROECO COSMO T

SELF CLOSING SHOWER VALVE 1/2"

Approx. 7, 15, 30 sec (pressure dependent)



GROHE EUROECO COSMO T SELF CLOSING GATE VALVE ½" Approx. 7, 15, 30 sec (pressure dependent)

CHROME: 36 268 000



GROHE EUROSMART COSMO T SELF CLOSING SHOWER MIXER

With mixing device and adjustable temperature limiter. Approx. 7, 15, 30 sec (pressure dependent) Requires Concealed Mounting Box Contact us for availability.

CHROME: 36 321 000



FEATURES



















GROHE NEW TEMPESTA SLIDE SHOWER

4 Spray patterns: Rain 02, Rain, Massage, Jet 900mm rail WELS 0 star, 12 ltrs/min Requires Elbow

CHROME: 27 790 002





AMERICAN STANDARD RAINCLICK SLIDE SHOWER RAIL LENGTH: 600MM C/W 3 FUNCTION HAND PIECE MAINS – WELS 3 STAR 8.5 L/MIN

CHROME: 44326.02



AMERICAN STANDARD RAINCLICK ROUND SHOWER KIT C/W 3 FUNCTION HAND PIECE MAINS – WELS 3 STAR 8.5 L/MIN

CHROME: 44322.02



AMERICAN STANDARD RAINCLICK SQUARE SHOWER KIT C/W 3 FUNCTION HAND PIECE MAINS – WELS 3 STAR 8.5 L/MIN

CHROME: 44324.02



AMERICAN STANDARD **RAINCLICK HAND PIECE** C/W 3 FUNCTION HAND PIECE MAINS – WELS 3 STAR 8.5 L/MIN

CHROME: 44368.02



1 YEAR

GUARANTEE* -

1

FEATURE EASYCLICK

With a simple push of a button, you can easily switch between 3 spray functions for an indulgent shower of your choice.



MAINS PRESSURE



FEATURES

10

10 YEAR GUARANTEE*

16

DURASHINE

TWIST FREE

کھ`

THERMOSTATIC

FEATURE

SAFE AND CONVENIENT THERMOSTATIC CONTROL OF WATER FLOW AND TEMPERATURE FOR THE PERFECT SHOWER

American Standard

Indulge in the ultimate showering experience that never forgets your preferred water source, temperature and volume of your perfect shower.

With the convenient push of a button, you can experience a cascading shower head or invigorating hand shower with body jets, all while maintaining control of the water volume with an easy turn of the dial.

Once you've selected the desired water volume using the intuitive dial, there's no need to reset it again. For an even more fuss-free experience, you can install the PreSet control outside your bathroom and activate it with just one easy push before stepping into your shower.

If you plan to have hand showers, overhead showers and body jets all in one bathroom, EasySET gives you the flexibility to configure your dream shower so that it looks as good as it feels. The intuitive showering icons let you see exactly which EasySET option controls each shower outlet.

The EasySET thermostatic mixer provides a constant showering temperature, while the safety temperature control and auto shut-off function prevents accidental scalding should the cold water supply fail.

EasySET thermostatic mixer with safety temperature control and auto shut-off function





THERMOSTATIC

EASYSET PACKAGES

AMERICAN STANDARD

EASYSET ESSENTIAL PACK HANDPIECE:

MAINS - WELS 3 STAR 8.5L/MIN

CHROME: 44342.02




AMERICAN STANDARD

EASYSET EXPERIENCE PACK HANDPIECE: MAINS - WELS 3 STAR 8.5L/MIN SHOWER HEAD: MAINS - WELS 3 STAR 8.5L/MIN









AMERICAN STANDARD EASYSET EXPOSED THERMOSTATIC MIXER C/W SPOUT CHROME: 44296.02



AMERICAN STANDARD EASYSET EXPOSED THERMOSTATIC MIXER & HANDPIECE KIT C/W 3 FUNCTION HAND PIECE C/W SPOUT MAINS - WELS 3 STAR 8.5 L/MIN CHROME: 44297.02





FEATURES

PUSH. TURN. ENJOY



Be in total control of both the temperature and volume of the water to create your own perfect shower.

EasySET Exposed Thermostatic (Auto Temperature) mixer maintains the correct balance of hot and cold water based on user's preset temperature. It will react - within a fraction of a second- to any changes in the water pressure or temperature by automatically readjusting the ratio of hot and cold water so your water temperature stays consistent throughout the entire shower.

You no longer need to waste time and precious water fiddling with the lever to adjust your water temperature every time before you shower or get scalded (or at least a rude shock) when your family member uses cold water in other parts of the house.

Thoughtfully designed for your comfort and convenience, the extra space on the mixer provides space for toiletries, while the swivel bath spout can be hidden away underneath for more space and safety in the bathroom

THERMOCOMFORT l°c

Pamper yourself with a shower at a constant and comfortable temperature even when cold water is used elsewhere in the house.



THERMOSAFE

For homes with children and elderly, prevent accidental scalding with the safety temperature control that caps water temperature at 49°C and shuts off when cold water supply fails.



TWIST FREE

COOLSHIELD

As an added precaution, the faucet body has been designed to stay cool at all times, preventing any instances of accidental scalding.

FEATURES

49°C

10 YEAR 10 GUARANTEE*

THERMOSAFE





MAINS PRESSURE PUSH AND 1 COOLSHIELD TURN

DURASHINE

1

*All guarantees are subject to terms and conditions and available on request or can be viewed at: www.robertson.co.nz/warranties

کم[×]


American Standard 23



TITA PROGRESSIVE SHOWER MIXER

MAINS PRESSURE / Ø90 / INCLUDES ROUND AND SQUARE FACEPLATE

CHROME: 43470.02





BASINS

ART CERAM QUADRO WALL BASIN 400(L) X 380(W) / 1TH

WHITE VITREOUS CHINA: 27386.10



PARISI LINFA WALL BASIN 400(L) X 380(W) WITH OVERFLOW

1TH WHITE VITREOUS CHINA: PMP7701S

NTH WHITE VITREOUS CHINA: PMP7700S



MODERN SQUARE DESIGN

The sharp look of the Quadro 400mm Wall Basin is achieved with its square design emanating elegance and beauty to complement the surroundings of the modern bathroom.

BASIN OVERFLOW

Basins with overflows have two advantages, the first being it diverts rising water back to the drain pipe to reduce flooding, secondly it improves draining speed by allowing more air into the pipe.



PARISI LINFA WALL BASIN 550(L) X 380(W) WITH OVERFLOW

1TH WHITE VITREOUS CHINA: PMP7601S





SOFT CURVED EDGES

The Linfa Wall Basin offers a rectangular aesthetic with curved edges. It provides minimal lines to ensure the perfect balance between style and practicality.



FEATURES

ART CERAM









6







ELEMENTI

UNIVERSAL 32MM BASIN CLICKER WASTE CHROME: CERAMIC WHITE: 79230.02 79230.11 A tapered flange creates a better fit for ceramic basins ALWAYS OPEN WASTE OPTION Using the appropriate Always Open linchpin, it is possible to revert the waste from Click to Always Open, simply by replacing the two mechanisms. CLICKER WASTE OPTION With the sealing membrane applied directly on the mechanism, the plug's cap becomes a decorative cover. Clicker waste with screw system (from 0 to 63 mm). Suitable for washbasins with and without overflow.

FEATURES

ELEMENTI

1 YEAR GUARANTEE*

BOTTLE TRAPS

ELEMENTI UNIVERSAL 32MM BOTTLE TRAP

CHROME: 79104.02



ELEMENTI UNIVERSAL BOTTLE TRAP EXTENSION

VERTICAL 200MM CHROME: TP32-200 HORIZONTAL 600MM CHROME: TP32-600

EXTENDABLE BOTTLE TRAP

Vertical (200mm) and horizontal (600mm) bottle trap extensions for the ELEMENTI Universal trap are available in multiple finishes. These extensions can be simply cut down to whatever length is required.




TOILETS

FEATURE

NO DIRT. NO STAINS. NO BACTERIA. NO WORRIES.

American Standard HygieneClean System is the new standard of safety in the bathroom delivered by powerful flushing technology & cutting-edge innovation.

American Standard provides you with not just beautiful and purposeful bathroom solutions, but also safe, clean and hygienic.



American Standard

HygieneClean



EASY CLEAN

There are no hard-to-reach areas with the new rimless design allowing easy cleaning with a single wipe.



AMERICAN STANDARD CYGNET HYGIENE RIM **OVERHEIGHT/ACCESSIBLE** CC BTW TOILET SUITE HYGIENE RIM SET OUTS: S PAN: 140-260MM P PAN: 190MM WELS 4 STAR 4.5 L PER FULL FLUSH 3 L PER HALF FLUSH

TOP INLET: 12992.10 BOTTOM INLET: 12991.10

COMPLIES WITH NZS 4121:2001

Designed for wheelchair access and mobility.



See following page for recommend seat/buttons when installing in public spaces.

AMERICAN STANDARD CYGNET HYGIENE RIM CC BTW TOILET SUITE HYGIENE RIM SET OUTS: S PAN: 140-260MM P PAN: 190MM WELS 4 STAR

4.5 L PER FULL FLUSH 3 L PER HALF FLUSH

TOP INLET: 12771.10 BOTTOM INLET: 12770.10



FEATURES

10

AMERICAN STANDARD 10 YEAR

*1 YEAR ON SEAT & CISTERN PARTS





HYGIENE

RIM

COMFORT

CURVE SEAT

Ĩ







SEATS & BUTTONS

ELEMENTI RAISED PUSH BUTTON

Suitable for both Overheight/Accessible & Standard height Cygnet Hygiene Rim models



WHITE: B5503W



ELEMENTI SINGLE FLAP SEAT

For public spaces we recommend single flap seat. A coloured raised push button and/or coloured seat is great for those with visual impairment.

Suitable for both Overheight/Accessible & Standard height Cygnet Hygiene Rim models

BLUE: U7030

WHITE: U7030W







FEATURES

ELEMENTI







URINALS & FLUSH VALVES

AMERICAN STANDARD

NEO MODERN URINAL

S TRAP BACK INLET SPREADER FLUSH WELS 3 STAR 0.9 LITRES PER FLUSH

WHITE VITREOUS CHINA: 14676.10



GROHE TECTRON SKATE INFRA-RED ELECTRONIC URINAL FLUSHING PLATE

With infrared sensor for bi-directional communication for monitoring, configuration and servicing. With transformer 100-230 V AC, 50-60 Hz, 6 V DC. 7 pre-set programs. Requires roughing-in set (37 321 001)

CHROME: 37 321 001



GROHE RAPIDO U

Roughing-in set for 37 321 001 Infra-red Urinal Flushing Valve

CODE: 37 338 000



FEATURES

10

AMERICAN STANDARD

10 YEAR GUARANTEE*

AQUAECO 10

TEN YEAR



GROHE 15









GROHE TOUCHFREE

AMERICAN STANDARD

CONTOUR URINAL C/W SPREADER & 40MM WASTE WELS 3 STAR 1.9 LITRES PER FLUSH

WHITE VITREOUS CHINA TOP INLET: 24032.10

WHITE VITREOUS CHINA BOTTOM INLET: 24034.10





ELEMENTI PRESTO URINAL CONCEALED FLUSHING VALVE CHROME: 70470.00





AQUAECO

BD-17005.WH

URINAL PARTITION

WHITE VITREOUS CHINA:

36

FIVE YEAR

GUARANTEE*



38


ELEMENTI **ASSIST HAND** RAILS

The ELEMENTI design team has developed their unique range of Safety Rails paying particular attention to every detail. Result - an elite Safety Rail with a sleek non-slip hygienic surface. These are widely used in the healthcare sector, conscious of the need to maintain cleanliness.



SURE-GRIP KNURL

UNIQUE SURE-GRIP ANTI-SLIP KNURLING COMES WITH ALL ASSIST RAILS



STANDARD KNURL

AVAILABLE ON REQUEST. CONTACT US FOR AVAILABILITY.

FEATURES

ELEMENTI

5 YEAR



GUARANTEE* BRUSHED SATIN FINISH







SURE-GRIP DESIGN

NZS 4121



HEAVY DUTY



FLANGE

ACCESSORIES

THE SUPERIOR CHOICE

Assist's standard range of Straight Rails is extensive with lengths ranging from 300mm to 900mm. They can also be custom made to any other lengths as required (Contact us for availability).

Comes standard in 32ø tube, 25ø tube available on request)

ELEMENTI ASSIST STRAIGHT HAND RAILS

300MM BRUSHED SATIN: 60850.SS 450MM BRUSHED SATIN: 60852.SS

600MM BRUSHED SATIN: 60854.SS







750MM BRUSHED SATIN: 60856.SS









ACCESSORIES

ELEMENTI ASSIST 90° SAFETY RAIL

750X750MM BRUSHED SATIN: 60864.SS



ELEMENTI ASSIST 45° SAFETY RAIL

305X305MM BRUSHED SATIN: 60866.SS

EXTRA SUPPORT

The Assist 90° Safety Rail can be used in either a left or right hand application. Other sizes are available on request.

Comes standard in 32ø, 25ø available on request. Complies to NZS 4121.



ATTENTION TO DETAIL

The Assist 45° Safety Rail comes standard at a popular size of 305×305 . It can be installed to suit either the users left or right hand. Other sizes are available on request.

Comes standard in 32ø, 25ø available on request. Complies to NZS 4121.





SURE-GRIP

DESIGN

FEATURES

ELEMENTI



ELEMENTI ASSIST SLIDE SHOWER SAFETY RAIL



T SHAPE 600X1049MM BRUSHED SATIN: 60874.SS ALSO REQUIRES SHOWER HANDPIECE, SHOWER HOSE & WALL ELBOW

RECOMMENDED:

AMERICAN STANDARD SHOWER HOSE 1500MM

CHROME: 44372.02

ELEMENTI

SOAP DISH

PLASTIC: 60870.00

ASSIST



AMERICAN STANDARD SHOWER ELBOW MALE

CHROME: 44352.02



AMERICAN STANDARD RAINCLICK HAND PIECE C/W 3 FUNCTION HAND PIECE MAINS – WELS 3 STAR 8.5 L/MIN

CHROME: 44368.02







ASSIST FOLDING **TOILET RAILS**

The Assist Folding Safety Rails are impressive, with 2 models to choose from. The options include the sleek anti-slip SureGrip rail on its own or the option of incorporating the toilet roll holder.

A locking feature is also available if required. This means the rail locks into place when folded into the upright position, offering the user rigid support whilst standing.

Comes standard in 32ø, 25ø available on request.



FEATURES

ELEMENTI





5 YEAR







MANUFACTURED



EASY TO CLEAN



HYGIENIC DESIGN



SURE-GRIP DESIGN

ELEMENTI ASSIST FOLDING TOILET RAILS

720MM BRUSHED SATIN: 60884.SS



720MM WITH TOILET ROLL HOLDER BRUSHED SATIN: 60886.SS

ASSIST PADDED TOILET LID SUPPORT RAIL

ELEMENTI ASSIST PADDED TOILET LID SUPPORT RAIL



BRUSHED SATIN: 60888.SS

Assist's Heavy Duty Stainless Steel Toilet Lid Support Rails are constructed from 32ø stainless steel tube for strength and durability.

These have a padded rest for the seat to lean against (sitting at approx 15°).

These can be manufactured to any depth and width depending on the type and brand of toilet suite (Contact us for availability).



ACCESSORIES

SLATTED SHOWER SEAT

The Assist Slatted Folding Shower Seat is the optimum seat, highly suitable for all aspects when needing care and assistance. The molded white slats are noted for their easily cleaned hygienic surfaces. Benefits of this model are its strength and durability along with functionality.

450, 600 & 1200mm available on request (Contact us for availability).

Height adjustment module also available on request (Contact us for availability).

ELEMENTI ASSIST SLATTED SHOWER SEAT

800MM **BRUSHED SATIN/WHITE:** 60876.SS

ELEMENTI ASSIST SLATTED SHOWER SEAT

900MM **BRUSHED SATIN/WHITE:** 60878.SS





OPTIONAL EXTRA: ADJUSTABLE HEIGHT WALL MOUNT CHANNELS FOR 800MM SEAT SET OF 2 (SEAT NOT INCLUDED)

BRUSHED SATIN: 60880.SS



OPTIONAL EXTRA: ADJUSTABLE HEIGHT WALL MOUNT CHANNELS FOR 900MM SEAT SET OF 3 (SEAT NOT INCLUDED)

BRUSHED SATIN: 60882.SS







FEATURES

ELEMENTI





NZS 4121







SEAT











ELEMENTi⁴⁵

0

ASSIST SHOWER TRACKS

The Assist shower tracks have been specifically designed for use in accessible bathrooms in resthomes, hospitals, retirement villages and residential homes. Manufactured in NZ from premium powder coated aluminium, these superior tracks showcase a sleek, minimalistic profile.

The tracks are provided as a kit-set complete with:

- Required screws and wall fittings
- Nylon glides
- Heavy duty stainless steel curtain hooks
- Adjustable length ceiling hanger/s as required
- (2 different lengths available depending on ceiling height and track installation height)

Custom sizes available:

Being manufactured here in New Zealand, it's no problem at all to do custom sizes. Contact us for more information and we will work with you to find a solution.

ELEMENTI ASSIST SHOWER TRACK 1200MM STRAIGHT WITH HANGER ASSEMBLY KIT SILVER: 60890.00

ASSIST SHOWER CURTAIN

FOR 1200MM STRAIGHT (1400X2000MM - 9 EYELETS) WHITE: 60894.00



ELEMENTI ASSIST SHOWER TRACK 1200X1200MM ROUND WITH HANGER & ASSEMBLY KIT SILVER: 60892.00

ASSIST SHOWER CURTAIN FOR 1200X1200MM ROUND (2600X2000MM - 16 EYELETS) WHITE: 60896.00









FEATURES


ELEMENTI





APPLICATION

48



WITHOUT EXCEPTION ROBERTSON PRODUCTS ARE GUARANTEED TO MEET OR EXCEED THE STANDARD REQUIREMENTS FOR THE NEW ZEALAND BUILDING CODE.

In addition to specific guarantees provided, all products imported and or sold by Robertson are, to the extent applicable, guaranteed in accordance with the Durability Clauses of the New Zealand Building regulations and Consumer Guarantees Act.

Our guarantees apply only to products imported and sold by Robertson.

These guarantees do not cover products sold by Robertson under any other agency, company or brand name. As part of our ongoing commitment to continuous improvement, Robertson NZ Ltd reserves

the right to make changes to its products at any time.

All guarantees are subject to terms and conditions and available on request or can be viewed at:

https://www.robertson.co.nz/warranties

The guarantee is against manufacturing defects only.

As this guarantee may not cover the cost of removal or installation, all products must be checked to see they are in good order and condition and fit for the intended purpose prior to installation.

This guarantee does not cover products that have been damaged by misuse, accident or neglect.

This guarantee is applicable to all products installed in domestic residential situations and or light commercial situations such as kitchens, bathrooms and laundries in motels, hotels and retirement villages.

This guarantee does not include commercial situations such as public washrooms and or kitchens and laundries in public buildings, schools, sports centres, gymnasiums and hospitals. Bathroom vanities installed in commercial situations are not covered under guarantee.

This guarantee does not cover normal wear and tear.

The use of some cleaning products will void the guarantee. Refer to manufactures recommended cleaning instructions or download cleaning guide from Robertson website. This warranty is personal to the first end user and is not transferable unless explicitly stated in writing by Robertson to a specific entity.

Each and every warranty claim must be applied for online using the Service Request form and be accompanied by the original proof of purchase and a photo or video showing the defect

Products must have been installed in accordance with the manufacture instructions and in accordance with local City or Council Standards requirements.

Products must have been cleaned as per manufacturer's recommendations. A copy of our Product Care Guide can be downloaded from our website.

Products must have been maintained in good order and condition and serviced in accordance with manufacturers' recommendations.

Robertson reserves the right to determine any issue or uncertainty in connection with the warranty.

Robertson reserves the right to repair and or replace the defective product and or component at its discretion or nearest equivalent if a product needs to be replaced.

All Warranty covered repair work is to be performed by a Robertson representative and or authorised service agent or plumber who has received an authorisation number to attend the job.

This guarantee does not purport to exclude or limit your rights under the Consumer Guarantees Act which applies to consumers acquiring goods other than "in trade". If you acquired the products "in trade" you agree that the Consumer Guarantees Act does not apply.

When we exchange a product under warranty with a new replacement product then the original warranty period remains as per the original product.

Please contact us for information on product suitable for commercial spaces and our commercial warranty statement.

PROJECT REFERENCES



AUCKLAND HOSPITAL AUCKLAND, NEW ZEALAND



ALPERS DENTAL AUCKLAND, NEW ZEALAND



EDEN PARK STADIUM AUCKLAND, NEW ZEALAND



THE ANCHORAGE WHANGAREI, NEW ZEALAND



KENSINGTON PARK OREWA, NEW ZEALAND



HUAPAI COUNTRY CLUB HUAPAI, NEW ZEALAND



FAIRVIEW VILLAGE AUCKLAND, NEW ZEALAND



ST ANDREWS VILLAGE AUCKLAND, NEW ZEALAND



METLIFECARE RETIREMENT VILLAGE AUCKLAND, NEW ZEALAND



POYNTON AUCKLAND, NEW ZEALAND



THE FOUNDATION AUCKLAND, NEW ZEALAND



PACIFIC COAST VILLAGE TAURANGA, NEW ZEALAND



THE VINES AT BETHLEHEM TAURANGA, NEW ZEALAND



COPPER CREST TAURANGA, NEW ZEALAND



BUPA RETIREMENT VILLAGES NAPIER, TOTARA, CROFTON DOWNS, PALMERSTON NORTH, ASHFIELD



RUSSLEY VILLAGE CHRISTCHURCH, NEW ZEALAND



PALM GROVE CHRISTCHURCH, NEW ZEALAND



RANFURLY VILLAGE CHRISTCHURCH, NEW ZEALAND



25 Vestey Drive Mt Wellington, Auckland 1060

PO Box 14695, Panmure Auckland 1741, New Zealand

Ph: +64 9 573 0490 Fax: +64 9 573 0495 Email: sales@robertson.co.nz

ROBERTSON.CO.NZ

QUALITY BATHWARE

Established in 1987 and proudly New Zealand owned and family operated, Robertson import innovative bathroom products from around the world, offering complete and affordable bathroom solutions to help you realise the perfect design.

Through our wide range of products and leading brands, our expert team deliver a promise of breathtaking design and guaranteed quality, backed by industry leading service and support.

WHERE TO PURCHASE

You can view and purchase our products nationwide from our supporting bathroom suppliers. To find your nearest location visit ROBERTSON.CO.NZ and click on the 'where to buy' link at the top of the page. Alternatively you can view products at our Robertson Bathware Showrooms at the locations below.

VISIT OUR WEBSITE

The Robertson mobile friendly website provides easy access to our wide range of bathware products. Simply browsing through brand or product groups which will then lead you to related product detail, inspirational lifestyle imagery and specification information.

Note: Please refer to full warranty information on our website.

ROBERTSON.CO.NZ



SHOWROOMS



AUCKLAND

ROBERTSON

25 Vestey Drive, Mt Wellington Ph: (09) 573 0490

Open Monday to Friday 8.30am - 5pm Saturday 9am - 1pm Closed Sunday

ROBERTSON TRADE CENTRE

42 Vestey Drive, Mt Wellington Ph: (09) 573 0490

Open Monday to Friday 8.30am - 5pm



WELLINGTON

ROBERTSON

23 Marion St, Te Aro

Ph: (04) 595 1165

Open Monday to Friday 8.30am 5pm Closed Saturday and Sunday

For a bathware consultation please make an appointment by emailing sales@robertson.co.nz



CHRISTCHURCH

HOME IDEAS

37 Mandeville Street Riccarton

Ph: (03) 348 2863

Open Monday to Friday 9am - 5pm Saturday 10am - 4pm Sunday 11am - 4pm